




## ZHANGJIAGANG ANNECY MACHINERY CO., LTD.

### CATALOGUE & QUOTATION




Images	Description	Model No	Details
	Dialysis Chair	AC-BDC001	<p>Main features:</p> <ul style="list-style-type: none"> <li>-Chair designed according to ergonomic human engineering</li> <li>-With comfortable mattress,PU cover,waterproof</li> <li>-Cushion:PVC leather</li> <li>-Frame:Q235 steel</li> <li>-Adjustable by gas spring</li> <li>-Four casters and two with brake</li> </ul> <p>Specification:</p> <ul style="list-style-type: none"> <li>-Seat segment width:600mm</li> <li>-Chair width,including armrests:830mm</li> <li>-Total weight:85kg</li> <li>-Ground clearance:560mm</li> <li>-Caster diameter:100mm</li> <li>-Back cushion:190°490°120mm</li> <li>-Back segment angle: -10°--80°</li> <li>-Seat segment angle: 0°--30°</li> <li>-Leg segment angle: -80°--10°</li> <li>-Safe maximum load:200kg</li> <li>packing size:166°83°69mm.GW:94kg.NW:84KG</li> </ul>
	Dialysis Chair	AC-BDC002	<p>Our dialysis chairs require very little effort to use. We've designed the chair to work with a patient's body, not against it. And your health care staff will appreciate our design as well. Less stooping, easier access for cleaning and locking front brakes are among the many features.</p> <p>Functions of chair</p> <ol style="list-style-type: none"> <li>1,Height is adjustable from 290mm</li> <li>2,Back section is adjustable from -10°--80°</li> <li>3,Knee section is adjustable from 10°--80°</li> <li>4,Size: 1880°830°1300-1680mm</li> <li>5, can be a bed</li> <li>6,Multiple position available</li> <li>7,Three German motors or Darnmak Linak or TAIWAN LINKAN hospital motors</li> <li>8,loading capacity :250kg</li> <li>9,PU standard for American CA117 or British BS5852 that is resistant to blood, sweat, fire, urine, spit or scraping.</li> </ol> <p>Optional accessories:</p> <ol style="list-style-type: none"> <li>1. Instrument trays</li> <li>2. Infusion stand</li> <li>3. TV for MP3,MP4</li> </ol>
	Dialysis Chair	AC-BDC003	<p>Technical Specification:</p> <ol style="list-style-type: none"> <li>1,Height is adjustable from 290mm</li> <li>2,Back section is adjustable from -12°--75°</li> <li>3,Knee section is adjustable from 12°--80°</li> <li>4,Size: 1900°880°560-820mm</li> <li>5, can be a bed</li> <li>6,Multiple position available</li> <li>7,Three German motors or Denmark Linak or TAIWAN LINKAN hospital motors</li> <li>8,loading capacity :240kg</li> <li>9,PU standard for American CA117 or British BS5852 that is resistant to blood, sweat, fire, urine, spit or scraping.</li> </ol> <p>Optional accessories :</p> <ol style="list-style-type: none"> <li>1. Instrument trays</li> <li>2. Infusion stand</li> <li>3. TV for MP3,MP4</li> </ol>
	Dialysis Chair with weighing system	AC-BDC004	<p>Technical Specification:</p> <ol style="list-style-type: none"> <li>1,Height is adjustable from 290mm</li> <li>2,Back section is adjustable from -12°--75°</li> <li>3,Knee section is adjustable from 12°--80°</li> <li>4,Size: 1900°880°560-820mm</li> <li>5, can be a bed</li> <li>6,Multiple position available</li> <li>7,Three German motors or Denmark Linak or TAIWAN LINKAN hospital motors</li> <li>8,loading capacity :240kg</li> <li>9,PU standard for American CA117 or British BS5852 that is resistant to blood, sweat, fire, urine,</li> <li>10. digital weigh system and CPR spit or scraping.</li> </ol> <p>Optional accessories :</p> <ol style="list-style-type: none"> <li>1. Instrument trays</li> <li>2. Infusion stand</li> <li>3. TV for MP3,MP4</li> </ol>

	Dialysis Chair	AC-BDC005	<p>1. Descriptions</p> <ul style="list-style-type: none"> <li>• ABS plastics molded to provide easy cleaning surfaces and disinfection.</li> <li>• Whole chair with steel frame provide strong bearing capability, safe working load up to 240kg.</li> <li>• High density (45D) polyurethane foam for mattress with moderate elasticity and durability provides additional comfort for patients having to sit for long periods.</li> <li>• Soft upholstery makes of breathable PU material, which is waterproof, fire retardant, corrosion, easily clean &amp; disinfection.</li> <li>• Three upholstery colors to choose from. Warm &amp; light colors of upholstery contribute to patient's mental well-being.</li> <li>• The hand control and two motors allow for quick positioning for any situations, including trendelenburg (or shock position) with the push of one button.</li> <li>• Multifunctional armrest provide in vertical adjustment from 0°-90°, and horizontal adjustment from 0°-45° to make patient comfort during procedures.</li> <li>• Mute medical castors of <math>\phi</math>10cm with separate brake.</li> <li>• The footrest can be adjusted according to the height of each patient.</li> <li>• The detachable headrest pillow can be adjusted according to the height of each patient.</li> <li>• An OPTIONAL back up battery pack is available in case of power loss.</li> </ul> <p>2. Saving space Overall chair dimension: L 1900 mm x W 880 mm x H 560mm. Smaller overall chair dimensions to save up to 40% of floor space than a hospital bed and therefore allows better and more functional use of space.</p> <p>3. Multi-position adjustment Multi-position adjustment possibilities by 2 LINAK motors offer</p>
	Dialysis Chair	AC-BDC006	<p>1. Descriptions</p> <ul style="list-style-type: none"> <li>• Whole chair with steel frame provide strong bearing capability, safe working load up to 180kg.</li> <li>• High density (45D) polyurethane foam for mattress with moderate elasticity and durability provides additional comfort for patients having to sit for long periods.</li> <li>• Soft upholstery makes of breathable PU material, which is waterproof, fire retardant, corrosion, easily clean &amp; disinfection.</li> <li>• Four upholstery colors to choose from. Warm &amp; light colors of upholstery contribute to patient's mental well-being.</li> <li>• The hand control and three motors allow for quick positioning for any situations, including trendelenburg (or shock position) with the push of one button.</li> <li>• Mute medical castors of diameter 12.5cm with central brake.</li> <li>• The detachable headrest pillow can be adjusted according to the height of each patient.</li> <li>• The collapsible aluminium guardrails is easy operated with one button.</li> </ul> <p>• Weighing range 0-180kg.</p> <p>2. Saving space Overall Dialysis bed dimension: L 1900 mm x W 800 mm x H 560-820mm. Smaller overall bed dimensions to save up to 30% of floor space.</p> <p>3. Multi-position adjustment Multiple independent adjustment possibilities by 3 LINAK motors offer maximum patient comfort and reduction in staff work load.</p>
	manual dialysis chair	AC-BDC007	<p>Specification:</p> <ul style="list-style-type: none"> <li>-Seat segment width:600mm</li> <li>-Chair width, including armrests:830mm</li> <li>-Total weight:85kg</li> <li>-Ground clearance:560mm</li> <li>-Castor diameter:100mm</li> <li>-Back cushion:190°490°120mm</li> <li>-Back segment angle: -10°-80°</li> <li>-Seat segment angle: 0°-30°</li> <li>-Leg segment angle: -80°-10°</li> <li>-Safe maximum load:200kg</li> </ul> <p>L200cm*W82cm*H67cm GW:120KG/SET NW:85KG/SET 20' GP: 21 Units 40' GP: 42 Units 40' HQ: 56 Units</p>
	Electric dialysis Chair	AC-BDC008	<p>Technical Specification:</p> <ul style="list-style-type: none"> <li>Overall length :L 1880mm x W 600mm x H 530 mm</li> <li>Seat widthL 600mm</li> <li>Seat to floor height: 530mm</li> <li>Backrest adjustment: 0-75 degree</li> <li>Legrest adjustment: -80-0 degree</li> <li>Size of castors : 4*<math>\phi</math>10cm swivel castors with separate brakes</li> <li>Cushion: PU leather</li> <li>Weight of chair : 85KG</li> <li>Safe maximum load: 200KG</li> <li>Motors:2 Linak Motors</li> <li>Power Supply: Ac 110-240V 50/60Hz</li> <li>Plug: as required (Hospital grade)</li> <li>Standard Accessories: Table or Tray ,I.V pole</li> <li>Colour: optional Green, Blue, Brown Champagne Gold</li> <li>L200cm*W82cm*H67cm</li> <li>GW:120KG/SET</li> <li>NW:85KG/SET</li> <li>20' GP: 21 Units</li> <li>40' GP: 42 Units</li> <li>40' HQ: 56 Units</li> </ul>

	<p>Electric dialysis chair</p>	<p>AC-BDC009</p>	<p>Technical Data:  Overall length: 2090mm  Seat width: 600 mm (including armrest 900mm)  Height Adjustment: 620 ~ 850 mm±100mm  Backrest adjustment: -12° ~ 80°  Legrest adjustment: -80° ~ 12°  Trendelenburg position: -12°  Safe Maximum Load: 240kg  Caster: 4xφ12.5cm swivel castors with central brake  Pillow: 390*220*100mm  Cushion Sponge+PU leather  Motors: 4 Dewall motors  Frame: Q235 Steel  Power Supply: Ac110-240V 50/60Hz  Plug as required (hospital grade)  Standard Accessories: Table , I.V.pole  Color Optional Green, Blue, Brown, Ivory  Working environment Temperature: -20°C ~ 60°C  Relative humidity: 10% ~ 85%  L197cm*W78cm*H67cm  GW:135KG/Unit NW:90KG/Unit  20' GP: 21 Units 40' GP: 42 Units 40' HQ: 56 Units</p>
	<p>Electric dialysis chair with weighing system</p>	<p>AC-BDC010</p>	<p>Technical Data:  With weighing system  Overall length: 2090mm  Seat width: 600 mm (including armrest 900mm)  Height Adjustment: 620 ~ 850 mm±100mm  Backrest adjustment: -12° ~ 80°  Legrest adjustment: -80° ~ 12°  Trendelenburg position: -12°  Safe Maximum Load: 240kg  Caster: 4xφ12.5cm swivel castors with central brake  Pillow: 390*220*100mm  Cushion Sponge+PU leather  Motors: 4 Dewall motors  Frame: Q235 Steel  Power Supply: Ac110-240V 50/60Hz  Plug as required (hospital grade)  Standard Accessories: Table , I.V.pole  Color Optional Green, Blue, Brown, Ivory  Working environment Temperature: -20°C ~ 60°C  Relative humidity: 10% ~ 85%  L197cm*W78cm*H67cm  GW:135KG/Unit NW:90KG/Unit  20' GP: 21 Units 40' GP: 42 Units 40' HQ: 56 Units</p>
	<p>Blood Donation Chair</p>	<p>AC-BDC011</p>	<p>Product Specifications  Blood Donation Chair  1.three LINAK motors  2. Seamless cushion  3.CE &amp; ISO approved.  Technical Parameters  Chair dimension: 1700mm (curve length) x 560mm  Height: 570mm (min.) --- 830 mm (max.)  Head section turn: -15° --- 25°  Back section lift: 0 --- 80°  Leg section turn: 0 --- -90°  Arm board swing out: 0 --- 45°  Arm board height adjustment: 100mm  Arm board slide: 100mm  Arm board declining angle adjustment: -15°--- 10°  Arm board dimension: 450x160 mm  Trend and reverse trend: 0 --- 12°  Arm board concave radian: R108  We are professional manufacturer for blood donation chair. This blood donor chair is the latest products of our company, which equipped with 3 LINAK motors. The 1st motor is mainly for up and down movement, the second motor is for back section turning, and the third motor is for leg section movement.  Packaging Details:  Packing Size: 1240*700*825(mm)  Package G.W. 170kg N.W. 130kg  26 units in 20 feet container  54 units in 40 feet container</p>
	<p>Electric Blood Donor Chair</p>	<p>AC-BDC012</p>	<p>Product Specifications  Blood Donation Chair  1. 3 Danish motors  2. Seam less mattress prevent blood permeate  3. All movements by hand control.  4. Three sections of chair mattress.  5. Leg section and back section moved together.  6. Arm rest adjustable for various angle.  Technical Parameters  Chair dimension: 1700mm (curve length) x 560mm  Height: 510mm (min.) ---800mm (max.) Electric  Back section lift: 25°-80° Electric  Trend and reverse trend: 0°- 12° Electric  Leg section turn: -30°- 90° Electric  Arm board swing out: 0 ~45° Manual(Mechanical)  Arm board height adjustment: 100mm Manual(Mechanical)  Arm board slide: 100mm Manual(Mechanical)  Arm board declining angle adjustment: -15° ~10° Manual(Mechanical)  Arm board dimension: 450x160 mm  We are professional manufacturer for blood donation chair. This blood donor chair is the latest products of our company, which equipped with 3 LINAK motors. The 1st motor is mainly for up and down movement, the second motor is for back section turning, and the third motor is for leg section movement.</p>

	<p>Blood Donation Chair Operation</p>	<p>AC-BDC013</p>	<p>Product Specifications Blood Donor Chair 1. Headboard manual adjust 2. Multi-adjust for arm rest 3. Seamless cushion Technical Parameters Chair dimension: 1970mm (curve length) x 560mm Back section lift: 25° to 55° Head section turn: -15° to 25° Arm board swing out: 0 to 45° Arm board height adjustment: 100mm Arm board slide: 100mm Arm board declining angle adjustment: -15° 10° Arm board dimension: 450x160 mm Leg section turn: -5° to -90° Center of gravity move forward at bed position: 190mm Seat section angle: 10° to -20° Arm board concave radian: R108 General Description: This blood donation chair is the latest products of our company. They are especially for the comfort of the blood-donor in the blood center, blood collection bus and hospitals It adopts imported dynamic system, i.e., the linear motor. It has many functions like up/down movements, back section turn, and leg section turn. It also applies to various posture of stretch out lying, seated and half lying during blood collecting. The up/down function of the chair can increase or decrease the blood pressure during blood collection, that make the procedure smoothly taken on. The surface of</p>
---	---	------------------	--

	<p>Blood Donation Chair</p>	<p>AC-BDC014</p>	<p>Product Specifications Blood Donation Chair</p> <ol style="list-style-type: none"> <li>1. Simple structure</li> <li>2. Electric movement for back and leg together</li> <li>3. Seamless cushion</li> <li>4. We can provide LCD holder(optional)</li> </ol> <p>This blood donation chair has a Chinese motor for leg section and back section movement. Seamless cushion is easy for the cleaning.</p> <p>Technical Parameters Chair dimension: 1970 mm (curve length) x 560mm Head section turn: -15° to 25° Back section lift: 20° to 55° (Back section can be adjust to level by manual) Arm board swing out: 0 to 45° Arm board height adjustment: 100mm Arm board slide: 100mm Arm board declining angle adjustment: -15° to 10° Arm board dimension: 450x160 mm Leg section turn: -5° to -90° Center of gravity move forward at bed position: 190 mm</p> <p>Optional Accessory Multimedia</p> <p>Packaging Details: Packing Size: 120*78*106.5(cm) G.W. 112kg N.W. 62kg 22 units for 20 feet container 48 units for 40 feet container</p>
	<p>Blood Donation Chair</p>	<p>AC-BDC015</p>	<p>Product Specification: Blood Donation Chair</p> <ol style="list-style-type: none"> <li>1. It is simple structure</li> <li>2. Seamless cushion can prevent blood permeating</li> <li>3. Knockdown structure</li> <li>4. 3 LINAK motors</li> <li>5. With DVD optional</li> </ol> <p>Technical Parameters Main technical parameters: 1) Size of table deck: 1,800mm x 580mm 2) Height of table deck: min 615mm, max 1,020mm 3) Back section lift: 20o-70o 4) Head section turn: 0o- -60o 5) Arm board swing out:0o-45o 6) Arm board slide: 100mm 7) Arm board declining angle adjustment:-15o-10o 8) Arm board dimension : 450mm x 160mm 9) Arm board concave radian: R108</p> <p>Optional accessories : Multimedia</p> <p>General Description: 1. This blood donation chair is the latest products of our company. They are especially made for the comfort of the blood -donor in the blood collection stations, hospitals and other medical agencies. 2. It adopts imported dynamic system, the straight-line puncher system. It has many functions like the ascending/descending of the overall chair, the backboard turning and the leg board turning. It also applies to various postures of stretch out lying, seated and half lying during blood collecting. 3. The integral elevation function of the chair can</p>
	<p>Vehicle-Mounted Blood Donation Chair</p>	<p>AC-BDC016</p>	<p>Product Specifications: Vehicle-Mounted Blood Donation Chair</p> <ol style="list-style-type: none"> <li>1. One motor control back section</li> <li>2. Seamless cushion</li> </ol> <p>Technical Parameters Chair dimension: 1240mm (curve length) x560mm Height480mm Back section lift: 60°-78° Arm board swing out: 0-45° Arm board height adjustment: 100mm Arm board slide: 100mm Arm board declining angle adjustment: -15°-10° Arm board dimension: 450mmx160mm Arm board concave radian: R108</p>

	<p>Blood Drawing Chair</p>	<p>AC-BDC017</p>	<p>General Description  λ This blood donor chair is the latest products of our company, it is equipped with 4 LINAK motors.  λ Seamless mattress prevent blood permeate.  λ Head low position for emergency rescue.  λ Leg support telescopes the length of leg part.  λ Arm rest adjustable for various angles.</p> <p>Technical Parameters  Chair dimension: 1700mm (curve length) x 560mm  Height: 570mm (min.) --830mm (max.) Electric  Head section turn: -15° ~-25° Manual(Gas Spring)  Back section lift: -5°~70° Electric  Leg section turn: -65°~ 5° Electric  Foot support telescopic: 100mm Electric  Foot support turn: 0 ~90° Manual(By hand)  Fixed angle of seat section: 5°  Arm board swing out: 0 ~45° Manual(Mechanical)  Arm board height adjustment: 100mm Manual(Mechanical)  Arm board slide: 100mm Manual(Mechanical)  Arm board declining angle adjustment: -15° ~10° Manual(Mechanical)  Arm board dimension: 450x160 mm  Packing Dimension:  Packing Size:142*74*42cm  G.W. 66 kg N.W. 50.5 kg  60 units for 20 feet container  120 units for 40 feet container</p>
	<p>Manual Blood Donor Chair</p>	<p>AC-BDC018</p>	<p>Product Specification:  Manual blood donor chair  1. Seamless cushion  2. PU leather  3. Engineering plastic cover</p> <p>Technical Parameters  Chair dimension: 1770mm (curve length) x 560mm  Back section lift: 30°-60°  Arm board swing out: 0-45°  Arm board declining angle adjustment: 0-8°  Leg section turn: -5°-90°  Center of gravity move forward at bed position: 190mm  Manual blood donor chair are the latest products of our company. They are especially for the comfort of the blood-donor in the blood center, blood collection bus and hospitals. It is manual operation, has two layer arm rest. Back section and leg section adjust by gas spring.</p> <p>Packaging Dimension:  Packing Size: 103*85*90(cm)  G.W. 123kg N.W. 53kg</p>
	<p>Blood Donation Chair</p>	<p>AC-BDC019</p>	<p>Product Specification:  This model is manual adjust chair, it is with nice appearance and good quality. Seamless cushion can prevent blood permeating, knockdown structure save the transport volume. The back section and leg section moved together adjusted by gas spring.</p> <p>Technical parameters:  Chair dimension: 1650mm (curve length) x 560mm  Height: 495mm  Back section lift: 0 to 70°  Arm board swing out: 0 to 45°  Arm board height adjustment: 100mm  Leg section turn: 0 to -60°  (Leg section and back section work as one unite)  Arm board dimension: 450x160 mm</p> <p>Packaging Details:  Packing Size: 142*74*42cm  G.W. 66 kg N.W. 50.5 kg  60 units for 20 feet container  120 units for 40 feet container</p>