

ZHANGJIAGANG ANNECY MACHINERY CO.LT[

CATALOGUE & QUOTATION

	<u> </u>		<u></u>
Images	Description	Model No	Details
	Electric 8 functions bed	AC-EB001	Jace 2023/2230 935 300/100/min Full length:2025-2230mm Full width:Includign the side rails:1050mm & with the side rails:990mm Bed base height range:Maximum height:1000mm&Minimum height:500mm Patient touching surface:900*1960mm Bed base angel position adjustable Back section panel:0-75° Leg section panel:0-45° Trendelenburg:0-10° Anti-trendelenburg:0-10° Maximum safe load:250kg Accuracy of measurement:0.1kg Diameter of centrally silent castor:125mm Standard accessories: Nurse controller&Rail controller&linak electrical motor &Drainage hook&Angel scale.&CPR handle& Rise – and-fall guide wheel&Detachable PP head and foot board&PP side rail Optional accessories: Weight reading system&mattress
	Electric 7 functions bed	AC-EB002	Size: L2230mm*W990-1050mm*H520- 760mm Technical Data: Vertical Travel: 200mm Back Rest Upward: 0-75 degree Foot Rest Upward: 0-45 degree Foot Rest Upward: 0-45 degree Tilt Headward and Footward Respecitively: +-14 degree Using Instruction and Notes: 1.Safe working Load-Maximum 250KG 2.All controlled parts must be operated by medical personnel. 3.When need to remove head and foot boards to meet medical requirement, medical personnel should stand well , open the clamp, clutch both side ends of head and foot boards and pull it vertically. 4.Patient and family members are not allowded to use any parts of bed to take exercise, get well exercise , or personal injury or equipment damage could occur. 5.Before moving the bed indoor ,need to release the brake. When reach the desired position. set the brake. It's not allowed to move the bed in force on uneven floor.
	Electric 5 functions bed	AC-EB003	move the hed in force on uneven floor. Specification: L2150*W1050*H460-750mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Control button for outside of side rails 4. Integrated stamping frame and mattress base are made of steel epoxy with ABS soft joint 5. I.V. ROD & Drainage hook 6. Center control lock 7. Optional input voltage: 220-240VAC 50Hz 8. Output voltage: 24VDC 9. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control Material: Head and foot boards are made of imported PP materials Center controlled lock Patient control Embedded in side guardrails Manual CPR Handles Each side on head side.

Electric 5 functions bed	AC-EB004	Functions: Specification: L2150*W1050*H460-750mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Control button for outside of side rails and foot board 4. Control button for inside of side rail 5. Integrated stamping frame and mattress base are made of steel epoxy 6. I.V. ROD & Drainage hook 7. Center control lock 8. Optional input voltage: 220-240VAC 50Hz 9. Output voltage: 24VDC 10. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control Material: Bed base, frame and leg are all
Electric 5 functions bed	AC-EB005	Specification: L2150W1050*H500-800mm Standard Accessory Detachable ABS head/foot board Roller bumpers Collapsible ABS guardrails integrated stamping frame and mattress base are made of steel epoxy IV Pole Drainage hook with PU cover Center control lock Chassis with ABS cover handset 1pc Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric 5 functions bed	AC-EB006	Specification: L2150*W1050*H460-720mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. Center control lock 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
Electric 5 functions bed	AC-EB007	Specification: L2150°W1050°H460-750mm Standard Accessory: Electric motor with manual crank together Detachable ABS head /foot board Collapsible ABS guardrails Integrated stamping frame and mattress base are made of steel erox Backrest with x-ray examination tray IV Pole& Drainage hook & PU cover mattress Center control lock Handset 1pc Optional accessory: Mattress& over-bed table& bedside cabinet& back-up battery
Electric 5 functions bed	AC-EB008	Specification L2150"W1050"H500-800mm Standard Accessory. Detachable ABS head/foot board Embedded rails control Embedded nurse control on the foot board Collapsible ABS guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Center control lock Chassis with ABS cover Optional accessory: Mattress&over-bed table &bedside cabinet & back-up battery& CPR control

Electric 5 functions bed	AC-EB009	Specification: L2150*W950*H430-720mm 1. Detachable ABS head/foot board 2. Collapsible aluminum guardralis 3. Mattress base made of ABS Plastic 4. I.V. ROD & Drainage hook 5. Center control lock 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
Electric 5 functions bed	AC-EB010	Specification L2150*W950*H250-720mm Standard Accessory Detachable ABS head/foot board Collapsible steel coated guardrails Integrated stamping frame and mattress base are made of steel epoxy I.V. Pole Drainage hook Center control lock Hand remote control Optional accessory: Mattress &over-bed table& bedside cabinet& back-up battery& CPR control
Electric 5 functions bed	AC-EB011	Specification: L2150*W950*H380-720mm 1. Detachable ABS head/foot board 2. Collapsible aluminum guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. 5*Castor with brakes 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
Electric 5 functions bed	AC-EB012	Size: 2080*970*400/700mm Material: Bed base, frame and leg are all made of cold-rolled steel plate and tube and coated by electrostatic spray after twice phospatization. The quality attains national standard. Head and foot boards are all made of quality wood. Introduction: It is equipped with t-motion motor imported from Denmark which is quiet and noiseless and able to support over 250kgs. Vertical travelling of bed base can reach any comfortable position from 450 to 750mm.Back rest upward 0°-75°, leg rest upward 0°-40°. It can be operated back rest, leg rest and vertical travel at the same time. It's equipped with silent castors and remote control panel.
Electric 5 functions bed	AC-EB013	Size: 2150*900*520/720mm Material: Bed base, frame and leg are all made of cold-rolled steel plate and tube and coated by electrostatic spray after twice phospatization. The quality attains national standard. Luxurious plastic bottom cover,head and foot boards. side Rails are all made of imported PP materials.

Electric 5 functions bed	AC-EB014	Size: 2150*900*520/720mm Material: Bed base, frame and leg are all made of cold-rolled steel plate and tube and coated by electrostatic spray after twice phospatization. The quality attains national standard. Luxurious plastic bottom cover, head and foot boards. side Rails are all made of imported PP materials. Introduction: It is equipped with LINAK motor imported from Denmark which is quiet and noiseless and able to support over 250kgs. Side-rail control panels make patients operate much easier .(with controller for nurse and CPR). Centrally controlled silent castors of high strength and high wear resistance enable the bed to move flexibly, lightly and conveniently. It is equipped with four PP side rails (which can be positioned upward and downward). Injection stand and drainage. Size: 2220/990/1050*578/815mm
Electric 5 functions bed	AC-EB015	Size: 2230'990/1050'575/815mm The security, reliability and practicability of the hospital bed attain national standard. Its inbed scale system increase efficiencies by taking accurate weight readings with the patient in any position. It addresses patient safety with low bed height, full coverage side rails. [Standard Function] *Maximum Low=57.5cm *Maximum height81.5cm *12.5cm castor *Four independence motors. *Built in foot board's I.V. pole *control button for outside of side rails and foot board *control button for inside of side rail. *Angle scale. *CPR handle. *Detachable head and foot board *Retractable fifth wheel (ontional)
Electric 5 functions bed	AC-EB016	Full Length 215CM Full Width Including The Side Rails Without The Side Rails 105CM 99CM Bed Base Height Range Maximum Height 70CM Minimum Height 45CM Patient Touching Surface 90*196CM Bed Base Angle Position Adjustable Back section panel 0-75° Leg section panel 0-45° Trendlenburg 0-10° Anti-Trendlenburg 0-10° Maximum safe load 250KG Diameter of Centrally Control Silent and Dustproof Castor 12.5CN Special Albertain.
Electric 5 functions bed	AC-EB017	Backrest max upward angle 75 ° Footrest max upward angle 45° Height adjustment 450700mm Trendelenburg 10° Anti-trendelenburg 10° Standard Accessories: Headboard/Footboard 1set Side Rails 4 sets Mattress optional Bed board 1 set Wheels 1 set Patient Name Card 1 piece IV Pole Holder 4 pieces IV pole 1 piece drainage bag holders 2 pieces
Electric 5 functions bed	AC-EB018	Overall size 2200-990-(760-520) mm Bed Frame made of cold-rolled steel plate, treated by electro-coating and powder-coating Headboard/footboard ABS, Footboard equipped with embedded nursing operator Bed boards 10-part steel Handrails ABS handrails Full Length 208CM Full Width 97CM Bed Base Height Range Maximum Height 70CM Minimum Height 40CM Patient Touching Surface 78*196CM Diameter of Centrally Control Silent and Dustproof Castor 10cm Motor Quiet and robust electric actuators provide reliable operation

Electric hospital bed with 3 functions	AC-EB019	Specification: L2150*W1050*H460-750mm 1. The bed by Electric motor with manual crank together 2. Detachable ABS head/foot board 3. Collapsible ABS guardrails 4. Integrated stamping frame and mattress base are made of steel epoxy 5. I.V. ROD & Drainage hook 6. Center control lock 7. Optional input voltage: 220-240VAC 50Hz 8. Output voltage: 24VDC 9. Optional accessory: Mattress & over-bed table & bedside cabinet
Electric hospital bed with 3 functions	AC-EB020	Specification: L2150*W1000*H400-720mm 1. Detachable ABS head/foot board 2. Collapsible aluminum guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. Center control lock 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
Electric hospital bed with 3 functions	AC-EB021	Specification: L2150*W1050*H460-720mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook with PU cover 5. Center control lock 6. Optional input voltage: 220-240VAC 50Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
Electric hospital bed with 3 functions	AC-EB022	Specification: L2150*W1050*H460-720mm Standard Accessory Detachable ABS head/foot board Collapsible ABS guardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook with PU cover Center control lock Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB023	Specification: L2200*W1050*H460-720mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame made of steel epoxy 4. Mattress base made of steel coated with soft joint 5. IV. ROD & Drainage hook with PU cover 6. Center control lock 7. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 8. Output voltage: 24VDC 9. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control

Electric hospital bed with 3 functions	AC-EB024	Specification: L2150*W1050*H460-720mm Standard Accessory Detachable ABS head/foot board Collapsible ABS guardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook with PU cover Center control lock JHand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB025	Specification: L2150*W1050*H460-750mm Standard Accessory Electric motor with manual crank together Detachable ABS head/foot board Collapsible ABS guardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook Center control lock Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB026	Specification: L2150*W1050*H460-720mm Standard Accessory Detachable ABS head/foot board Collapsible ABS quardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook with PU cover Heavy duty caster with brakes 5" Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB027	Specification: L2150*W1050*H460-720mm Standard Accessory Detachable ABS head/foot board Collapsible ABS quardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook with PU cover Heavy duty caster with brakes 5" Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB028	Specification: L2150*W1050*H460-720mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. Center control lock 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control

Electric hospital bed with 3 functions	AC-EB029	Specification: L2150*W1050*H460-720mm Standard Accessory Detachable ABS head/foot board Collapsible ABS guardrails Embedded rails control Integrated stamping frame and mattress base are made of steel epoxy Mattress base with ABS cover detachable IV Pole& Drainage hook with PU cover Center control lock Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB030	Specification: L2150*W1050*H460-750mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Control button for outside of side rails 4. Integrated stamping frame and mattress base are made of steel epoxy 5. I.V. ROD & Drainage hook 6. Center control lock 7. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 8. Output voltage: 24VDC
Electric hospital bed with 3 functions	AC-EB031	Specification: L2150*W950*H400-720mm Standard Accessory: Detachable ABS head/ foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Center control lock hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB032	Specification: L2150*W950*H400-720mm Standard Accessory: Detachable ABS head/ foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Center control lock hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB033	Specification: L2150*W900*H400-720mm Standard Accessory: Detachable ABS head/ foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Center control lock hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control

Electric hospital bed with 3 functions	AC-EB034	Specification: L2150"W950"H400-720mm Standard Accessory: Detachable ABS head/ foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover heavy duty caster with brakes 5" hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions(king size)	AC-EB035	Specification: L2150°W1100°H260-650mm Standard Accessory: Detachable ABS head/ foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover heavy duty caster with brakes 5" hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB036	Specification: L2150*W950*H380-720mm Standard Accessory: Electric motor with manual crank together Detachable ABS head/foot board Collapsible steel coated guardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook with PU cover Heavy duty caster with brakes 5 Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 3 functions	AC-EB037	Specification: L2150*W950*H250-640mm Standard Accessory: Detachable ABS head/foot board Collapsible steel coated guardrails integrated stamping frame and mattress base are made of steel epoxy I V Pole& Drainage hook with PU cover Heavy duty caster with brakes 5 Hand remote control Optional accessory: Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 2 functions	AC-EB038	Specification L2150"W950"H500mm Standard Accessory Detachable ABS head/foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Center control loock Hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control

Electric hospital bed with 2 functions	AC-EB039	Specification L2150"W950"H500mm Standard Accessory Detachable ABS head/foot board Collapsible aluminum alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Heavy duty caster with brakes 5" Hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 2 functions	AC-EB040	Specification L1900*W900*H500mm Standard Accessory Detachable ABS head/foot board Collapsible steel coated guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Heavy duty caster with brakes 5" Hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 2 functions	AC-EB041	Specification L2150*W1050*H500mm Standard Accessory Detachable ABS head/foot board Collapsible abs guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Heavy duty caster with brakes 5" Hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 2 functions	AC-EB042	Specification L2150*W950*H500mm Standard Accessory Detachable ABS head/foot board Collapsible abs guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Heavy duty caster with brakes 5* Hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control
Electric hospital bed with 1 functions	AC-EB043	Specification L2150W950*H500mm Standard Accessory Detachable ABS head/foot board Collapsible aluminium alloy guardrails Integrated stamping frame and mattress base are made of steel epoxy I V Pole Drainage hook with PU cover Heavy duty caster with brakes 5" Hand remote control Optional accessory Mattress over-bed table bedside cabinet back-up battery CPR control

		1
Electric hospital bed with 3 functions	AC-EB044	Specification: L2150*W1050*H460-750mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. 5*Castor with brakes 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
High-level Five-function Electric Bed with Weight Readings	AC-EB045	Size: 2220*990/1050*450/790mm -Maximum Low—45cm -Maximum height:—79cm -12.5cm castor -Four independence motors. -Built in foot board's I.V. pole -control button for outside of side rails and foot board -control button for inside of side rail. -Angle scale. -CPR handle. -Detachable head and foot board -Retractable fifth wheel (optional) -Electronic function Lock (optional) -Weight reading system -Back section panel -0-45° Trendlenburg -0-10° -Anti-Trendlenburg -0-10° -Maximum safe load 250KG Castor 12.5cm -Packing Information -Packing Information
Luxurious Electric Bed with Five Functions	AC-EB046	Size: 2160*950*450/700mm Material: Bed base, frame and leg are all made of cold-rolled steel plate and tube and coated by electrostatic spray after twice phosphatization. The quality attains national standard. Head and foot boards are made of imported PP materials. Side Rails 105 cm Without The Side Rails 99cm Bed Base Height Range Maximum Height 70CM Minimum Height 45CM Patient Touching Surface 90*196CM Bearing Capacity: 250kg Diameter of Centrally Control Silent and Dustproof Castor 12.5cm Hospital bed 5-Function: Backrest max upward angle 75° Footrest max upward angle 45° Height adjustment 700-450mm Trendelenburg 10° Anti-trendelenburg 10°
Electric hospital bed with five functions	AC-EB047	Specification: L2150*W1050*H460-750mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. IV. ROD & Drainage hook 5. Center control lock 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control Material: Bed base, frame and leg are all made of cold-rolled steel plate and tube and coated by electrostatic spray after twice phospatization. The quality attains national standard. Head and foot boards are made of imported PP materials. Center controlled lock;

Electric hospital bed with 3 functions	AC-EB048	1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame made of steel epoxy 4. Mattress base made of ABS Plastic with soft joint 5. I.V. ROD & Drainage hook 6. Center control lock 7. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 8. Output voltage: 24VDC 9. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control Material: Bed base, frame and leg are all made of cold-rolled steel plate and tube and coated by electrostatic spray after twice phospatization. The quality attains national standard. Head and foot boards are made of imported PP materials.
Electric hospital bed with 3 functions	AC-EB049	Specification: L2150*W1050*H460-750mm 1. Detachable ABS head/foot board 2. Collapsible ABS guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. Center control lock. 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control 3 function abs electric remote control hospital bed This three function electric medical bed is for hospital ICU room.
Electric hospital bed with 3 functions	AC-EB050	Specification: L2150*W950*H350-690mm 1. Detachable ABS head/foot board 2. Collapsible aluminum guardrails 3. Integrated stamping frame and mattress base are made of steel epoxy 4. I.V. ROD & Drainage hook 5. 5°Castor with brakes 6. Optional input voltage: 220-240VAC 50Hz or 110-120VAC 60Hz 7. Output voltage: 24VDC 8. Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control
Electric hospital bed with 3 functions	AC-EB051	Specification: Overall size 2150°990-1050°450-700mm Bed Frame made of cold-rolled steel plate, treated by electro-coating and powder-coating Bed Base Height Range Maximum Height 70cm Minimum Height 45cm Headboard/footboard Detachable PP Bed boards Steel 10-part Handrails PP handrails Hand controller Remote Bed base Steel frame Wheels Four silent wheels with central-controlled braking system, φ125mm Weight capacity: 250kg 3-function: Backrest max upward angle 75° Footrest max upward angle 45° Height adjustment 450–700mm StandardAccessories: Headboard/Footboard 1set Side Rails 4sets Bed board 1 set Wheels 1 set Patient Name Card Optional IV Pole Holder 4 pieces IV pole 1 piece drainage bag holders 2 pieces

THE PART OF THE PA	7 functions electric	AC-EB052	Size: L2200°W1060°560-830mm Standard Configurations: 1.One pair of ABS bed board 2.ABS side rails with damping device (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Mute Castors with central locking(4)
THE REAL WAY WAY TO THE TOTAL	5 functions electric	AC-EB053	Size: L2080*W1000*H450-730mm Standard Configurations: 1.One pair of ABS bed board 2.ABS side rails with damping device (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Diameter 125mm castors with central locking(4)
THE REAL PROPERTY OF THE PROPE	5 functions electric	AC-EB054	Size: L2100*W1130*H450-730mm Standard Configurations: 1.One pair of head and foot board 2.ABS side rails with damping device (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Single brake castors(4)
	3 functions electric	AC-EB055	Size: L2080*W1000*H450-730mm Standard Configurations: 1.One pair of head and foot board 2.Aluminum collapsable side rail (2) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Single brake castors(4)

TO T	3 functions electric	AC-EB056	Size: L2100*W1100*H290-580mm Standard Configurations: 1.One pair of wooden boards 2.Steel spray side rails (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Single brake castors(4)
	3 functions electric	AC-EB057	Size: L2100*W1050*H330-630mm Standard Configurations: 1.0ne pair of wooden boards 2.Steel spray side rails (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Single brake castors(4)
To the state of th	3 functions electric	AC-EB058	Size: L2100*W1100*H400-660mm Standard Configurations: 1.One pair of wooden boards 2.Aluminum alloy side rails (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Luxurious castors with central locking(4)
	3 functions electric	AC-EB059	Size: L2100*W1100*H400-660mm Standard Configurations: 1.0ne pair of wooden boards 2.Aluminum alloy side rails (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Luxurious castors with central locking(4)

3 functions electric traction bed	AC-EB061	Size: L2150*W1000*H400-680mm Standard Configurations: 1.One pair of head and foot board 2.Aluminum alloy guardrails (4) 3.I.V Pole holes(4) 4.Drainage Hooks(4) 5.Aluminum alloy traction support 6.Elastic force rings(2) 7.Mute castors with central locking(4)
Seven functions electric hospital bed	AC-EB062	Specification Size: L2200°W1040°H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Products characteristics: 1.Function: back adjustment 0-75°+-5°, through the X-ray back plate self-extension design, can reduce the patient's abdominal pressure, leg adjustment 0-45°+-5°. The overall lift 550-810mm, the overall front and real tilb>>12°, bed left and right tilb>>15°. 2.Imported motor system quiet design, smooth operation, low noise. 3.Nurse operation panel, easy to operate and flexible 4.Four European-style integrated PP fence, in line with IEC60601-2-38 safety standards, the back of the lift angle display
Five functions electric hospital bed	AC-EB063	Specification Size: L2300*W1040*H530-730mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 124-2° Back rest: 75+5° Leg rest: 45+5° Weight Capacity: >>200kgs Product Characteristics: The weighing system can monitor body weight changes of patients per day. The bed head and tail , guardrail imported ABS advanced engineering plastic injection molding, beautiful appearance, smooth surface ,durable , easy to clean. The end of the bed plate on both sides of the fence with embedded buttons, the convenience of patients and medical personnel operation. The deluxe control mute casters diameter 150mm, flexible movement, reliable braking. The key with automatic locking function The buttom cover luxury electric casters
Five functions electric hospital bed	AC-EB064	Specification Size: L2350*W1100*H530-730mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 12+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Product Characteristics: The weighing system can monitor body weight changes of patients per day. The bed head and tail , guardrail imported ABS advanced engineering plastic injection molding, beautiful appearance, smooth surface ,durable , easy to clean. The end of the bed plate on both sides of the fence with embedded buttons, the convenience of patients and medical personnel operation. The deluxe control mute casters diameter 150mm, flexible movement, reliable braking. The key with automatic locking function The buttom cover luxury electric casters

Five functions electric hospital bed	AC-EB065	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Build- in control panels on the both side of the headboard, locked for safe are easy to operate for both the patient and nursing stuff. Four European style PP guardrail, with gas spring buffer Detachable ABS headboard, nice shape Equipped with 4 pieces 6- inch central lock wheel, one step brake. I.V. Stand hole*4,drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.
Five functions electric hospital bed	AC-EB066	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 454-5° Weight Capacity: >>200kgs Build- in control panels on the both side of the headboard, locked for safe are easy to operate for both the patient and nursing stuff. Four European style PP guardrail , with gas spring buffer Detachable ABS headboard , nice shape Equipped with 4 pieces 6- inch central lock wheel, one step brake. I.V. Stand hole '4,drainage hook '4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.
Five functions electric hospital bed	AC-EB067	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Build- in control panels on the both side of the headboard, locked for safe are easy to operate for both the patient and nursing stuff. Four European style PP guardrail , with gas spring buffer Detachable ABS headboard , nice shape Equipped with 4 pieces 6- inch central lock wheel, one step brake. I.V. Stand hole*4,drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.

Five functions electric hospital bed	AC-EB068	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Build- in control panels on the both side of the headboard, locked for safe are easy to operate for both the patient and nursing stuff. Four European style PP guardrail , with gas spring buffer Detachable ABS headboard , nice shape Equipped with 4 pieces 6- inch central lock wheel, one step brake. I.V. Stand hole 4,drainage hook 4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.
Five functions electric hospital bed	AC-EB069	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2* Back rest: 75+-5* Leg rest: 45+-5* Weight Capacity: >>200kgs Build- in control panels on the both side of the headboard, locked for safe are easy to operate for both the patient and nursing stuff. Four European style PP guardrail , with gas spring buffer Detachable ABS headboard , nice shape Equipped with 4 pieces 6- inch central lock wheel, one step brake. I.V. Stand hole 4,drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.
Five functions electric hospital bed	AC-EB070	Specification Size: L2200*W1060*H560-830mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 12+-2* Back rest: 75+-5* Leg rest: 45+-5* Weight Capacity: >>200kgs Nurse Chief control panel, easy to operate Imported motor system, mute design, running safe stable Four European style integral molding PP guardrail, back angle display Detachable ABS headboard , nice shape Four 5-inch central lock wheel, foot brake, stable and reliable I.V. pole*4, drainage hook*4

Five functions electric hospital bed	AC-EB071	Specification Size: L2200*W1060*H560-830mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 12+-2* Back rest: 75+-5* Leg rest: 45+-5* Weight Capacity: >>200kgs Nurse Chief control panel, easy to operate Imported motor system, mute design, running safe stable Four European style integral molding PP guardrail, back angle display Detachable ABS headboard ,nice shape Four 5-inch central lock wheel, foot brake, stable and reliable I.V. pole*4, drainage hook*4
Three functions electric hospital bed	AC-EB072	Specification Size: L2200°W1040°H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Equipped with pendant panel . Convenient and flexible, easy to operate Four European style PP guardrail, with gas spring buffer Detachable ABS headboard , nice shape Equipped with 4 pieces 6-inch central lock wheel, electric brake I.V. pole hole*4, drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.
Three functions electric hospital bed	AC-EB073	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Equipped with pendant panel . Convenient and flexible, easy to operate Four European style PP guardrail, with gas spring buffer Detachable ABS headboard , nice shape Equipped with 4 pieces 6-inch central lock wheel, electric brake I.V. pole hole*4, drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the

Three functions electric hospital bed	AC-EB074	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Equipped with pendant panel . Convenient and flexible, easy to operate Aluminum alloy guardrail are easy to grasp for patient Detachable ABS headboard , nice shape Equipped with 4 pieces 6-inch central lock wheel, electric brake I.V. pole hole*4, drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.
Three functions electric hospital bed	AC-EB075	Specification Size: L2200*W1040*H430-750mm Inner length: 1945mm Inner Width: 900mm Forward tilt: 10+-2° Back rest: 75+-5° Leg rest: 45+-5° Weight Capacity: >>200kgs Equipped with pendant panel . Convenient and flexible, easy to operate Aluminum alloy guardrail are easy to grasp for patient Detachable ABS headboard , nice shape Equipped with 4 pieces 6-inch central lock wheel, electric brake I.V. pole hole*4, drainage hook*4 Bed body inside with soft-connecting panel, take shape on natural curvature, let the patient feel more comfortable to change the position.